

Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

(16) SCM-LED-13L-SC-50

Fixture Lumens: 13,039

Fixture Watts: 84.7

Lumens/Watt: 154

Mounting Height: 15'

Calculation Summary

Canopy Average: 26.27

Pump Average Inner: 14.94


Pump Average Outer: 16.25

Transition Average: N/A

Total Watts: 1355.2

Watts/sq.ft.: 0.33

Lumens/sq.ft. : 51.1



Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

(16) SCM-LED-13L-SC-50

Fixture Lumens: 13,039

Fixture Watts: 84.7

Lumens/Watt: 154

Mounting Height: 15'

Calculation Summary

Canopy Average: 26.27

Pump Average Inner: 14.94


Pump Average Outer: 16.25

Transition Average: N/A

Total Watts: 1355.2

Watts/sq.ft.: 0.33

Lumens/sq.ft. : 51.1



Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

(16) SCM-LED-13L-SC-50

Fixture Lumens: 13,039

Fixture Watts: 84.7

Lumens/Watt: 154

Mounting Height: 15'

Calculation Summary

Canopy Average: 26.27

Pump Average Inner: 14.94

Pump Average Outer: 16.25

Transition Average: N/A

Total Watts: 1355.2

Watts/sq.ft.: 0.33

Lumens/sq.ft. : 51.1

