

# Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

## (25) SCM-LED-15L-SC-50

Fixture Lumens: 15,631

Fixture Watts: 111.1

Lumens/Watt: 141

Mounting Height: 15'

## Calculation Summary

Canopy Average: 52.91

Pump Average Inner: 32.24


Pump Average Outer: 20.54

Transition Average: N/A

Total Watts: 2778

Watts/sq.ft.: 0.68

Lumens/sq.ft. : 96





# Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

## (25) SCM-LED-15L-SC-50

Fixture Lumens: 15,631

Fixture Watts: 111.1

Lumens/Watt: 141

Mounting Height: 15'

## Calculation Summary

Canopy Average: 52.91

Pump Average Inner: 32.24


Pump Average Outer: 20.54

Transition Average: N/A

Total Watts: 2778

Watts/sq.ft.: 0.68

Lumens/sq.ft. : 96



# Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

## (25) SCM-LED-15L-SC-50

Fixture Lumens: 15,631

Fixture Watts: 111.1

Lumens/Watt: 141

Mounting Height: 15'

## Calculation Summary

Canopy Average: 52.91

Pump Average Inner: 32.24

Pump Average Outer: 20.54

Transition Average: N/A

Total Watts: 2778

Watts/sq.ft.: 0.68

Lumens/sq.ft. : 96

