

Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

(16) SCM-LED-15L-SC-50

Fixture Lumens: 15,631

Fixture Watts: 111.1

Lumens/Watt: 141

Mounting Height: 15'

Calculation Summary

Canopy Average: 33.18

Pump Average Inner: 18.19


Pump Average Outer: 20.18

Transition Average: N/A

Total Watts: 1778

Watts/sq.ft.: 0.44

Lumens/sq.ft. : 61



Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

(16) SCM-LED-15L-SC-50

Fixture Lumens: 15,631

Fixture Watts: 111.1

Lumens/Watt: 141

Mounting Height: 15'

Calculation Summary

Canopy Average: 33.18

Pump Average Inner: 18.19


Pump Average Outer: 20.18

Transition Average: N/A

Total Watts: 1778

Watts/sq.ft.: 0.44

Lumens/sq.ft. : 61



Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

(16) SCM-LED-15L-SC-50

Fixture Lumens: 15,631

Fixture Watts: 111.1

Lumens/Watt: 141

Mounting Height: 15'

Calculation Summary

Canopy Average: 33.18

Pump Average Inner: 18.19

Pump Average Outer: 20.18

Transition Average: N/A

Total Watts: 1778

Watts/sq.ft.: 0.44

Lumens/sq.ft. : 61

