

Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

(25) SCM-LED-20L-SC-50

Fixture Lumens: 19,989

Fixture Watts: 145.5

Lumens/Watt: 137

Mounting Height: 15'

Calculation Summary

Canopy Average: 63.90

Pump Average Inner: 40.58


Pump Average Outer: 25.10

Transition Average: N/A

Total Watts: 3637.5

Watts/sq.ft.: 0.89

Lumens/sq.ft. : 122.5



Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

(25) SCM-LED-20L-SC-50

Fixture Lumens: 19,989

Fixture Watts: 145.5

Lumens/Watt: 137

Mounting Height: 15'

Calculation Summary

Canopy Average: 63.90

Pump Average Inner: 40.58


Pump Average Outer: 25.10

Transition Average: N/A

Total Watts: 3637.5

Watts/sq.ft.: 0.89

Lumens/sq.ft. : 122.5



Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

(25) SCM-LED-20L-SC-50

Fixture Lumens: 19,989

Fixture Watts: 145.5

Lumens/Watt: 137

Mounting Height: 15'

Calculation Summary

Canopy Average: 63.90

Pump Average Inner: 40.58

Pump Average Outer: 25.10

Transition Average: N/A

Total Watts: 3637.5

Watts/sq.ft.: 0.89

Lumens/sq.ft. : 122.5

