

Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

(16) SCM-LED-20L-SC-50

Fixture Lumens: 19,989

Fixture Watts: 145.5

Lumens/Watt: 137

Mounting Height: 15'

Calculation Summary

Canopy Average: 40.02

Pump Average Inner: 24.67


Pump Average Outer: 24.67

Transition Average: N/A

Total Watts: 2328

Watts/sq.ft.: 0.57

Lumens/sq.ft. : 78.4



Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

(16) SCM-LED-20L-SC-50

Fixture Lumens: 19,989

Fixture Watts: 145.5

Lumens/Watt: 137

Mounting Height: 15'

Calculation Summary

Canopy Average: 40.02

Pump Average Inner: 24.67


Pump Average Outer: 24.67

Transition Average: N/A

Total Watts: 2328

Watts/sq.ft.: 0.57

Lumens/sq.ft. : 78.4



Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

(16) SCM-LED-20L-SC-50

Fixture Lumens: 19,989

Fixture Watts: 145.5

Lumens/Watt: 137

Mounting Height: 15'

Calculation Summary

Canopy Average: 40.02

Pump Average Inner: 24.67

Pump Average Outer: 24.67

Transition Average: N/A

Total Watts: 2328

Watts/sq.ft.: 0.57

Lumens/sq.ft. : 78.4

