

Canopy Style: 3x1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

(12) SCV-LED-10L-SC-50

Fixture Lumens: 10,317

Fixture Watts: 67

Lumens/Watt: 154

Mounting Height: 15'

Calculation Summary

Canopy Average: 34.71

Pump Average Inner: 21.24


Pump Average Outer: 13.44

Transition Average: 2.69

Total Watts: 804

Watts/sq.ft.: 0.45

Lumens/sq.ft. : 69.7



Canopy Style: 3x1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

(12) SCV-LED-10L-SC-50

Fixture Lumens: 10,317

Fixture Watts: 67

Lumens/Watt: 154

Mounting Height: 15'

Calculation Summary

Canopy Average: 34.71

Pump Average Inner: 21.24


Pump Average Outer: 13.44

Transition Average: 2.69

Total Watts: 804

Watts/sq.ft.: 0.45

Lumens/sq.ft. : 69.7



Canopy Style: 3x1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

(12) SCV-LED-10L-SC-50

Fixture Lumens: 10,317

Fixture Watts: 67

Lumens/Watt: 154

Mounting Height: 15'

Calculation Summary

Canopy Average: 34.71

Pump Average Inner: 21.24

Pump Average Outer: 13.44

Transition Average: 2.69

Total Watts: 804

Watts/sq.ft.: 0.45

Lumens/sq.ft. : 69.7

