

Canopy Style: 3x1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

(8) SCV-LED-10L-SC-50

Fixture Lumens: 10,317

Fixture Watts: 67

Lumens/Watt: 154

Mounting Height: 15'

Calculation Summary

Canopy Average: 22.09

Pump Average Inner: 11.97


Pump Average Outer: 13.27

Transition Average: 1.78

Total Watts: 536

Watts/sq.ft.: 0.30

Lumens/sq.ft. : 46.5



Canopy Style: 3x1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

(8) SCV-LED-10L-SC-50

Fixture Lumens: 10,317

Fixture Watts: 67

Lumens/Watt: 154

Mounting Height: 15'

Calculation Summary

Canopy Average: 22.09

Pump Average Inner: 11.97


Pump Average Outer: 13.27

Transition Average: 1.78

Total Watts: 536

Watts/sq.ft.: 0.30

Lumens/sq.ft. : 46.5



Canopy Style: 3x1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

(8) SCV-LED-10L-SC-50

Fixture Lumens: 10,317

Fixture Watts: 67

Lumens/Watt: 154

Mounting Height: 15'

Calculation Summary

Canopy Average: 22.09

Pump Average Inner: 11.97

Pump Average Outer: 13.27

Transition Average: 1.78

Total Watts: 536

Watts/sq.ft.: 0.30

Lumens/sq.ft. : 46.5

