

Canopy Style: 3x1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

(12) SCV-LED-15L-SC-50

Fixture Lumens: 14,963

Fixture Watts: 102

Lumens/Watt: 147

Mounting Height: 15'

Calculation Summary

Canopy Average: 50.35

Pump Average Inner: 30.82


Pump Average Outer: 19.50

Transition Average: 3.89

Total Watts: 1224

Watts/sq.ft.: 0.69

Lumens/sq.ft. : 101.1



Canopy Style: 3x1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

(12) SCV-LED-15L-SC-50

Fixture Lumens: 14,963

Fixture Watts: 102

Lumens/Watt: 147

Mounting Height: 15'

Calculation Summary

Canopy Average: 50.35

Pump Average Inner: 30.82


Pump Average Outer: 19.50

Transition Average: 3.89

Total Watts: 1224

Watts/sq.ft.: 0.69

Lumens/sq.ft. : 101.1



Canopy Style: 3x1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

(12) SCV-LED-15L-SC-50

Fixture Lumens: 14,963

Fixture Watts: 102

Lumens/Watt: 147

Mounting Height: 15'

Calculation Summary

Canopy Average: 50.35

Pump Average Inner: 30.82

Pump Average Outer: 19.50

Transition Average: 3.89

Total Watts: 1224

Watts/sq.ft.: 0.69

Lumens/sq.ft. : 101.1

