

# Canopy Style: 3x1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

## (8) SCV-LED-15L-SC-50

Fixture Lumens: 14,963

Fixture Watts: 102

Lumens/Watt: 147

Mounting Height: 15'

## Calculation Summary

Canopy Average: 32.05

Pump Average Inner: 17.37


Pump Average Outer: 19.26

Transition Average: 2.57

Total Watts: 816

Watts/sq.ft.: 0.46

Lumens/sq.ft. : 67.4



# Canopy Style: 3x1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

## (8) SCV-LED-15L-SC-50

Fixture Lumens: 14,963

Fixture Watts: 102

Lumens/Watt: 147

Mounting Height: 15'

## Calculation Summary

Canopy Average: 32.05

Pump Average Inner: 17.37


Pump Average Outer: 19.26

Transition Average: 2.57

Total Watts: 816

Watts/sq.ft.: 0.46

Lumens/sq.ft. : 67.4



# Canopy Style: 3x1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

## (8) SCV-LED-15L-SC-50

Fixture Lumens: 14,963

Fixture Watts: 102

Lumens/Watt: 147

Mounting Height: 15'

## Calculation Summary

Canopy Average: 32.05

Pump Average Inner: 17.37

Pump Average Outer: 19.26

Transition Average: 2.57

Total Watts: 816

Watts/sq.ft.: 0.46

Lumens/sq.ft. : 67.4

