

Canopy Style: 3x1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

(12) SCV-LED-20L-SC-50

Fixture Lumens: 20,234

Fixture Watts: 133

Lumens/Watt: 152

Mounting Height: 15'

Calculation Summary

Canopy Average: 68.03

Pump Average Inner: 41.68


Pump Average Outer: 26.37

Transition Average: 5.26

Total Watts: 1596

Watts/sq.ft.: 0.90

Lumens/sq.ft. : 136.7



Canopy Style: 3x1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

(12) SCV-LED-20L-SC-50

Fixture Lumens: 20,234

Fixture Watts: 133

Lumens/Watt: 152

Mounting Height: 15'

Calculation Summary

Canopy Average: 68.03

Pump Average Inner: 41.68


Pump Average Outer: 26.37

Transition Average: 5.26

Total Watts: 1596

Watts/sq.ft.: 0.90

Lumens/sq.ft. : 136.7



Canopy Style: 3x1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

(12) SCV-LED-20L-SC-50

Fixture Lumens: 20,234

Fixture Watts: 133

Lumens/Watt: 152

Mounting Height: 15'

Calculation Summary

Canopy Average: 68.03

Pump Average Inner: 41.68

Pump Average Outer: 26.37

Transition Average: 5.26

Total Watts: 1596

Watts/sq.ft.: 0.90

Lumens/sq.ft. : 136.7

