

# Canopy Style: 3x1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

## (8) SCV-LED-20L-SC-50

Fixture Lumens: 20,234

Fixture Watts: 133

Lumens/Watt: 152

Mounting Height: 15'

## Calculation Summary

Canopy Average: 43.29

Pump Average Inner: 23.54


Pump Average Outer: 26.05

Transition Average: 3.48

Total Watts: 1064

Watts/sq.ft.: 0.60

Lumens/sq.ft. : 91.2





# Canopy Style: 3x1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

## (8) SCV-LED-20L-SC-50

Fixture Lumens: 20,234

Fixture Watts: 133

Lumens/Watt: 152

Mounting Height: 15'

## Calculation Summary

Canopy Average: 43.29

Pump Average Inner: 23.54


Pump Average Outer: 26.05

Transition Average: 3.48

Total Watts: 1064

Watts/sq.ft.: 0.60

Lumens/sq.ft. : 91.2



# Canopy Style: 3x1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

## (8) SCV-LED-20L-SC-50

Fixture Lumens: 20,234

Fixture Watts: 133

Lumens/Watt: 152

Mounting Height: 15'

## Calculation Summary

Canopy Average: 43.29

Pump Average Inner: 23.54

Pump Average Outer: 26.05

Transition Average: 3.48

Total Watts: 1064

Watts/sq.ft.: 0.60

Lumens/sq.ft. : 91.2

