

# Canopy Style: 3x1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

## (12) SCV-LED-23L-SC-50

Fixture Lumens: 23,284

Fixture Watts: 155

Lumens/Watt: 150

Mounting Height: 15'

## Calculation Summary

Canopy Average: 78.31

Pump Average Inner: 47.98


Pump Average Outer: 30.36

Transition Average: 6.05

Total Watts: 1860

Watts/sq.ft.: 1.05

Lumens/sq.ft. : 157.3





# Canopy Style: 3x1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

## (12) SCV-LED-23L-SC-50

Fixture Lumens: 23,284

Fixture Watts: 155

Lumens/Watt: 150

Mounting Height: 15'

## Calculation Summary

Canopy Average: 78.31

Pump Average Inner: 47.98


Pump Average Outer: 30.36

Transition Average: 6.05

Total Watts: 1860

Watts/sq.ft.: 1.05

Lumens/sq.ft. : 157.3



# Canopy Style: 3x1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

## (12) SCV-LED-23L-SC-50

Fixture Lumens: 23,284

Fixture Watts: 155

Lumens/Watt: 150

Mounting Height: 15'

## Calculation Summary

Canopy Average: 78.31

Pump Average Inner: 47.98

Pump Average Outer: 30.36

Transition Average: 6.05

Total Watts: 1860

Watts/sq.ft.: 1.05

Lumens/sq.ft. : 157.3

