

# Canopy Style: 3x1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

## (8) SCV-LED-23L-SC-50

Fixture Lumens: 23,284

Fixture Watts: 155

Lumens/Watt: 150

Mounting Height: 15'

## Calculation Summary

Canopy Average: 49.84

Pump Average Inner: 27.08


Pump Average Outer: 29.98

Transition Average: 4.00

Total Watts: 1240

Watts/sq.ft.: 0.70

Lumens/sq.ft. : 104.9



# Canopy Style: 3x1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

## (8) SCV-LED-23L-SC-50

Fixture Lumens: 23,284

Fixture Watts: 155

Lumens/Watt: 150

Mounting Height: 15'

## Calculation Summary

Canopy Average: 49.84

Pump Average Inner: 27.08


Pump Average Outer: 29.98

Transition Average: 4.00

Total Watts: 1240

Watts/sq.ft.: 0.70

Lumens/sq.ft. : 104.9



# Canopy Style: 3x1 Inline

Canopy Size: 24' x 74'

Initial Levels at grade and vertically on pumps.

## (8) SCV-LED-23L-SC-50

Fixture Lumens: 23,284

Fixture Watts: 155

Lumens/Watt: 150

Mounting Height: 15'

## Calculation Summary

Canopy Average: 49.84

Pump Average Inner: 27.08

Pump Average Outer: 29.98

Transition Average: 4.00

Total Watts: 1240

Watts/sq.ft.: 0.70

Lumens/sq.ft. : 104.9

