

# Canopy Style: 3x1 Inline w/ Kiosk

Canopy Size: 24' x 95'

Initial Levels at grade and vertically on pumps.

## (10) SCV-LED-10L-SC-50

Fixture Lumens: 10,317

Fixture Watts: 67

Lumens/Watt: 154

Mounting Height: 15'

## Calculation Summary

Canopy Average: 22.53

Pump Average Inner: 12.12


Pump Average Outer: 13.25

Transition Average: N/A

Total Watts: 670

Watts/sq.ft.: 0.29

Lumens/sq.ft. : 45.3



# Canopy Style: 3x1 Inline w/ Kiosk

Canopy Size: 24' x 95'

Initial Levels at grade and vertically on pumps.

## (10) SCV-LED-10L-SC-50

Fixture Lumens: 10,317

Fixture Watts: 67

Lumens/Watt: 154

Mounting Height: 15'

## Calculation Summary

Canopy Average: 22.53

Pump Average Inner: 12.12


Pump Average Outer: 13.25

Transition Average: N/A

Total Watts: 670

Watts/sq.ft.: 0.29

Lumens/sq.ft. : 45.3



# Canopy Style: 3x1 Inline w/ Kiosk

Canopy Size: 24' x 95'

Initial Levels at grade and vertically on pumps.

## (10) SCV-LED-10L-SC-50

Fixture Lumens: 10,317

Fixture Watts: 67

Lumens/Watt: 154

Mounting Height: 15'

## Calculation Summary

Canopy Average: 22.53

Pump Average Inner: 12.12

Pump Average Outer: 13.25

Transition Average: N/A

Total Watts: 670

Watts/sq.ft.: 0.29

Lumens/sq.ft. : 45.3

