

Canopy Style: 3x1 Inline w/ Kiosk

Canopy Size: 24' x 95'

Initial Levels at grade and vertically on pumps.

(13) SCV-LED-15L-SC-50

Fixture Lumens: 14,963

Fixture Watts: 102

Lumens/Watt: 147

Mounting Height: 15'

Calculation Summary

Canopy Average: 43.69

Pump Average Inner: 30.72


Pump Average Outer: 19.66

Transition Average: N/A

Total Watts: 1326

Watts/sq.ft.: 0.58

Lumens/sq.ft. : 85.4



Canopy Style: 3x1 Inline w/ Kiosk

Canopy Size: 24' x 95'

Initial Levels at grade and vertically on pumps.

(13) SCV-LED-15L-SC-50

Fixture Lumens: 14,963

Fixture Watts: 102

Lumens/Watt: 147

Mounting Height: 15'

Calculation Summary

Canopy Average: 43.69

Pump Average Inner: 30.72


Pump Average Outer: 19.66

Transition Average: N/A

Total Watts: 1326

Watts/sq.ft.: 0.58

Lumens/sq.ft. : 85.4



Canopy Style: 3x1 Inline w/ Kiosk

Canopy Size: 24' x 95'

Initial Levels at grade and vertically on pumps.

(13) SCV-LED-15L-SC-50

Fixture Lumens: 14,963

Fixture Watts: 102

Lumens/Watt: 147

Mounting Height: 15'

Calculation Summary

Canopy Average: 43.69

Pump Average Inner: 30.72

Pump Average Outer: 19.66

Transition Average: N/A

Total Watts: 1326

Watts/sq.ft.: 0.58

Lumens/sq.ft. : 85.4

