

# Canopy Style: 3x1 Inline w/ Kiosk

Canopy Size: 24' x 95'

Initial Levels at grade and vertically on pumps.

## (13) SCV-LED-20L-SC-50

Fixture Lumens: 20,234

Fixture Watts: 133

Lumens/Watt: 152

Mounting Height: 15'

## Calculation Summary

Canopy Average: 59.03

Pump Average Inner: 41.56


Pump Average Outer: 26.58

Transition Average: N/A

Total Watts: 1729

Watts/sq.ft.: 0.76

Lumens/sq.ft. : 115.5



# Canopy Style: 3x1 Inline w/ Kiosk

Canopy Size: 24' x 95'

Initial Levels at grade and vertically on pumps.

## (13) SCV-LED-20L-SC-50

Fixture Lumens: 20,234

Fixture Watts: 133

Lumens/Watt: 152

Mounting Height: 15'

## Calculation Summary

Canopy Average: 59.03

Pump Average Inner: 41.56


Pump Average Outer: 26.58

Transition Average: N/A

Total Watts: 1729

Watts/sq.ft.: 0.76

Lumens/sq.ft. : 115.5



# Canopy Style: 3x1 Inline w/ Kiosk

Canopy Size: 24' x 95'

Initial Levels at grade and vertically on pumps.

## (13) SCV-LED-20L-SC-50

Fixture Lumens: 20,234

Fixture Watts: 133

Lumens/Watt: 152

Mounting Height: 15'

## Calculation Summary

Canopy Average: 59.03

Pump Average Inner: 41.56

Pump Average Outer: 26.58

Transition Average: N/A

Total Watts: 1729

Watts/sq.ft.: 0.76

Lumens/sq.ft. : 115.5

