

Canopy Style: 3x1 Inline w/ Kiosk

Canopy Size: 24' x 95'

Initial Levels at grade and vertically on pumps.

(10) SCV-LED-20L-SC-50

Fixture Lumens: 20,234

Fixture Watts: 133

Lumens/Watt: 152

Mounting Height: 15'

Calculation Summary

Canopy Average: 44.17

Pump Average Inner: 23.80


Pump Average Outer: 26.01

Transition Average: N/A

Total Watts: 1330

Watts/sq.ft.: 0.58

Lumens/sq.ft. : 88.8



Canopy Style: 3x1 Inline w/ Kiosk

Canopy Size: 24' x 95'

Initial Levels at grade and vertically on pumps.

(10) SCV-LED-20L-SC-50

Fixture Lumens: 20,234

Fixture Watts: 133

Lumens/Watt: 152

Mounting Height: 15'

Calculation Summary

Canopy Average: 44.17

Pump Average Inner: 23.80


Pump Average Outer: 26.01

Transition Average: N/A

Total Watts: 1330

Watts/sq.ft.: 0.58

Lumens/sq.ft. : 88.8



Canopy Style: 3x1 Inline w/ Kiosk

Canopy Size: 24' x 95'

Initial Levels at grade and vertically on pumps.

(10) SCV-LED-20L-SC-50

Fixture Lumens: 20,234

Fixture Watts: 133

Lumens/Watt: 152

Mounting Height: 15'

Calculation Summary

Canopy Average: 44.17

Pump Average Inner: 23.80

Pump Average Outer: 26.01

Transition Average: N/A

Total Watts: 1330

Watts/sq.ft.: 0.58

Lumens/sq.ft. : 88.8

