

Canopy Style: 3x1 Inline w/ Kiosk

Canopy Size: 24' x 95'

Initial Levels at grade and vertically on pumps.

(13) SCV-LED-23L-SC-50

Fixture Lumens: 23,284

Fixture Watts: 155

Lumens/Watt: 150

Mounting Height: 15'

Calculation Summary

Canopy Average: 67.95

Pump Average Inner: 47.83


Pump Average Outer: 30.59

Transition Average: N/A

Total Watts: 2015

Watts/sq.ft.: 0.89

Lumens/sq.ft. : 132.9



Canopy Style: 3x1 Inline w/ Kiosk

Canopy Size: 24' x 95'

Initial Levels at grade and vertically on pumps.

(13) SCV-LED-23L-SC-50

Fixture Lumens: 23,284

Fixture Watts: 155

Lumens/Watt: 150

Mounting Height: 15'

Calculation Summary

Canopy Average: 67.95

Pump Average Inner: 47.83


Pump Average Outer: 30.59

Transition Average: N/A

Total Watts: 2015

Watts/sq.ft.: 0.89

Lumens/sq.ft. : 132.9



Canopy Style: 3x1 Inline w/ Kiosk

Canopy Size: 24' x 95'

Initial Levels at grade and vertically on pumps.

(13) SCV-LED-23L-SC-50

Fixture Lumens: 23,284

Fixture Watts: 155

Lumens/Watt: 150

Mounting Height: 15'

Calculation Summary

Canopy Average: 67.95

Pump Average Inner: 47.83

Pump Average Outer: 30.59

Transition Average: N/A

Total Watts: 2015

Watts/sq.ft.: 0.89

Lumens/sq.ft. : 132.9

