

Canopy Style: 3x1 Inline w/ Kiosk

Canopy Size: 24' x 95'

Initial Levels at grade and vertically on pumps.

(10) SCV-LED-23L-SC-50

Fixture Lumens: 23,284

Fixture Watts: 155

Lumens/Watt: 150

Mounting Height: 15'

Calculation Summary

Canopy Average: 50.85

Pump Average Inner: 27.39


Pump Average Outer: 29.93

Transition Average: N/A

Total Watts: 1550

Watts/sq.ft.: 0.68

Lumens/sq.ft. : 102.2



Canopy Style: 3x1 Inline w/ Kiosk

Canopy Size: 24' x 95'

Initial Levels at grade and vertically on pumps.

(10) SCV-LED-23L-SC-50

Fixture Lumens: 23,284

Fixture Watts: 155

Lumens/Watt: 150

Mounting Height: 15'

Calculation Summary

Canopy Average: 50.85

Pump Average Inner: 27.39


Pump Average Outer: 29.93

Transition Average: N/A

Total Watts: 1550

Watts/sq.ft.: 0.68

Lumens/sq.ft. : 102.2



Canopy Style: 3x1 Inline w/ Kiosk

Canopy Size: 24' x 95'

Initial Levels at grade and vertically on pumps.

(10) SCV-LED-23L-SC-50

Fixture Lumens: 23,284

Fixture Watts: 155

Lumens/Watt: 150

Mounting Height: 15'

Calculation Summary

Canopy Average: 50.85

Pump Average Inner: 27.39

Pump Average Outer: 29.93

Transition Average: N/A

Total Watts: 1550

Watts/sq.ft.: 0.68

Lumens/sq.ft. : 102.2

