

# Canopy Style: 4x1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

## (16) SCV-LED-10L-SC-50

Fixture Lumens: 10,317

Fixture Watts: 67

Lumens/Watt: 154

Mounting Height: 15'

## Calculation Summary

Canopy Average: 35.83

Pump Average Inner: 21.57


Pump Average Outer: 13.33

Transition Average: 3.45

Total Watts: 1072

Watts/sq.ft.: 0.45

Lumens/sq.ft. : 69.5



# Canopy Style: 4x1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

## (16) SCV-LED-10L-SC-50

Fixture Lumens: 10,317

Fixture Watts: 67

Lumens/Watt: 154

Mounting Height: 15'

## Calculation Summary

Canopy Average: 35.83

Pump Average Inner: 21.57


Pump Average Outer: 13.33

Transition Average: 3.45

Total Watts: 1072

Watts/sq.ft.: 0.45

Lumens/sq.ft. : 69.5



# Canopy Style: 4x1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

## (16) SCV-LED-10L-SC-50

Fixture Lumens: 10,317

Fixture Watts: 67

Lumens/Watt: 154

Mounting Height: 15'

## Calculation Summary

Canopy Average: 35.83

Pump Average Inner: 21.57

Pump Average Outer: 13.33

Transition Average: 3.45

Total Watts: 1072

Watts/sq.ft.: 0.45

Lumens/sq.ft. : 69.5

