

Canopy Style: 4x1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

(8) SCV-LED-10L-SC-50

Fixture Lumens: 10,317

Fixture Watts: 67

Lumens/Watt: 154

Mounting Height: 15'

(8) SCV-LED-23L-SCFT-50

Fixture Lumens: 23,101

Fixture Watts: 188

Lumens/Watt: 123

Mounting Height: 15'

Calculation Summary

Canopy Average: 48.85

Pump Average Inner: 29.10


Pump Average Outer: 17.87

Transition Average: 11.36

Total Watts: 2040

Watts/sq.ft.: 0.86

Lumens/sq.ft. : 112.5



Canopy Style: 4x1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

(8) SCV-LED-10L-SC-50

Fixture Lumens: 10,317

Fixture Watts: 67

Lumens/Watt: 154

Mounting Height: 15'

(8) SCV-LED-23L-SCFT-50

Fixture Lumens: 23,101

Fixture Watts: 188

Lumens/Watt: 123

Mounting Height: 15'

Calculation Summary

Canopy Average: 48.85

Pump Average Inner: 29.10


Pump Average Outer: 17.87

Transition Average: 11.36

Total Watts: 2040

Watts/sq.ft.: 0.86

Lumens/sq.ft. : 112.5



Canopy Style: 4x1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

(8) SCV-LED-10L-SC-50

Fixture Lumens: 10,317

Fixture Watts: 67

Lumens/Watt: 154

Mounting Height: 15'

(8) SCV-LED-23L-SCFT-50

Fixture Lumens: 23,101

Fixture Watts: 188

Lumens/Watt: 123

Mounting Height: 15'

Calculation Summary

Canopy Average: 48.85

Pump Average Inner: 29.10

Pump Average Outer: 17.87

Transition Average: 11.36

Total Watts: 2040

Watts/sq.ft.: 0.86

Lumens/sq.ft. : 112.5

