

# Canopy Style: 4x1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

## (16) SCV-LED-13L-SC-50

Fixture Lumens: 13,444

Fixture Watts: 90

Lumens/Watt: 149

Mounting Height: 15'

## Calculation Summary

Canopy Average: 46.68

Pump Average Inner: 28.15


Pump Average Outer: 17.37

Transition Average: 4.49

Total Watts: 1440

Watts/sq.ft.: 0.61

Lumens/sq.ft. : 90.5





# Canopy Style: 4x1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

## (16) SCV-LED-13L-SC-50

Fixture Lumens: 13,444

Fixture Watts: 90

Lumens/Watt: 149

Mounting Height: 15'

## Calculation Summary

Canopy Average: 46.68

Pump Average Inner: 28.15


Pump Average Outer: 17.37

Transition Average: 4.49

Total Watts: 1440

Watts/sq.ft.: 0.61

Lumens/sq.ft. : 90.5



# Canopy Style: 4x1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

## (16) SCV-LED-13L-SC-50

Fixture Lumens: 13,444

Fixture Watts: 90

Lumens/Watt: 149

Mounting Height: 15'

## Calculation Summary

Canopy Average: 46.68

Pump Average Inner: 28.15

Pump Average Outer: 17.37

Transition Average: 4.49

Total Watts: 1440

Watts/sq.ft.: 0.61

Lumens/sq.ft. : 90.5

