

# Canopy Style: 4x1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

## (16) SCV-LED-15L-SC-50

Fixture Lumens: 14,963

Fixture Watts: 102

Lumens/Watt: 147

Mounting Height: 15'

## Calculation Summary

Canopy Average: 51.99

Pump Average Inner: 31.32


Pump Average Outer: 19.35

Transition Average: 4.99

Total Watts: 1632

Watts/sq.ft.: 0.69

Lumens/sq.ft. : 100.8





# Canopy Style: 4x1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

## (16) SCV-LED-15L-SC-50

Fixture Lumens: 14,963

Fixture Watts: 102

Lumens/Watt: 147

Mounting Height: 15'

## Calculation Summary

Canopy Average: 51.99

Pump Average Inner: 31.32


Pump Average Outer: 19.35

Transition Average: 4.99

Total Watts: 1632

Watts/sq.ft.: 0.69

Lumens/sq.ft. : 100.8



# Canopy Style: 4x1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

## (16) SCV-LED-15L-SC-50

Fixture Lumens: 14,963

Fixture Watts: 102

Lumens/Watt: 147

Mounting Height: 15'

## Calculation Summary

Canopy Average: 51.99

Pump Average Inner: 31.32

Pump Average Outer: 19.35

Transition Average: 4.99

Total Watts: 1632

Watts/sq.ft.: 0.69

Lumens/sq.ft. : 100.8

