

Canopy Style: 4x1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

(10) SCV-LED-15L-SC-50

Fixture Lumens: 14,963

Fixture Watts: 102

Lumens/Watt: 147

Mounting Height: 15'

Calculation Summary

Canopy Average: 31.52

Pump Average Inner: 17.63


Pump Average Outer: 19.10

Transition Average: 3.06

Total Watts: 1020

Watts/sq.ft.: 0.43

Lumens/sq.ft. : 63



Canopy Style: 4x1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

(10) SCV-LED-15L-SC-50

Fixture Lumens: 14,963

Fixture Watts: 102

Lumens/Watt: 147

Mounting Height: 15'

Calculation Summary

Canopy Average: 31.52

Pump Average Inner: 17.63


Pump Average Outer: 19.10

Transition Average: 3.06

Total Watts: 1020

Watts/sq.ft.: 0.43

Lumens/sq.ft. : 63



Canopy Style: 4x1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

(10) SCV-LED-15L-SC-50

Fixture Lumens: 14,963

Fixture Watts: 102

Lumens/Watt: 147

Mounting Height: 15'

Calculation Summary

Canopy Average: 31.52

Pump Average Inner: 17.63

Pump Average Outer: 19.10

Transition Average: 3.06

Total Watts: 1020

Watts/sq.ft.: 0.43

Lumens/sq.ft. : 63

