

Canopy Style: 4x1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

(16) SCV-LED-20L-SC-50

Fixture Lumens: 20,234

Fixture Watts: 133

Lumens/Watt: 152

Mounting Height: 15'

Calculation Summary

Canopy Average: 70.23

Pump Average Inner: 42.37


Pump Average Outer: 26.16

Transition Average: 6.76

Total Watts: 2128

Watts/sq.ft.: 0.87

Lumens/sq.ft. : 136



Canopy Style: 4x1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

(16) SCV-LED-20L-SC-50

Fixture Lumens: 20,234

Fixture Watts: 133

Lumens/Watt: 152

Mounting Height: 15'

Calculation Summary

Canopy Average: 70.23

Pump Average Inner: 42.37


Pump Average Outer: 26.16

Transition Average: 6.76

Total Watts: 2128

Watts/sq.ft.: 0.87

Lumens/sq.ft. : 136



Canopy Style: 4x1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

(16) SCV-LED-20L-SC-50

Fixture Lumens: 20,234

Fixture Watts: 133

Lumens/Watt: 152

Mounting Height: 15'

Calculation Summary

Canopy Average: 70.23

Pump Average Inner: 42.37

Pump Average Outer: 26.16

Transition Average: 6.76

Total Watts: 2128

Watts/sq.ft.: 0.87

Lumens/sq.ft. : 136

