

Canopy Style: 4x1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

(8) SCV-LED-20L-SC-50

Fixture Lumens: 20,234

Fixture Watts: 133

Lumens/Watt: 152

Mounting Height: 15'

(8) SCV-LED-23L-SCFT-50

Fixture Lumens: 23,101

Fixture Watts: 188

Lumens/Watt: 123

Mounting Height: 15'

Calculation Summary

Canopy Average: 66.09

Pump Average Inner: 39.58


Pump Average Outer: 24.37

Transition Average: 11.96

Total Watts: 2568

Watts/sq.ft.: 1.08

Lumens/sq.ft. : 145.9



Canopy Style: 4x1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

(8) SCV-LED-20L-SC-50

Fixture Lumens: 20,234

Fixture Watts: 133

Lumens/Watt: 152

Mounting Height: 15'

(8) SCV-LED-23L-SCFT-50

Fixture Lumens: 23,101

Fixture Watts: 188

Lumens/Watt: 123

Mounting Height: 15'

Calculation Summary

Canopy Average: 66.09

Pump Average Inner: 39.58


Pump Average Outer: 24.37

Transition Average: 11.96

Total Watts: 2568

Watts/sq.ft.: 1.08

Lumens/sq.ft. : 145.9



Canopy Style: 4x1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

(8) SCV-LED-20L-SC-50

Fixture Lumens: 20,234

Fixture Watts: 133

Lumens/Watt: 152

Mounting Height: 15'

(8) SCV-LED-23L-SCFT-50

Fixture Lumens: 23,101

Fixture Watts: 188

Lumens/Watt: 123

Mounting Height: 15'

Calculation Summary

Canopy Average: 66.09

Pump Average Inner: 39.58

Pump Average Outer: 24.37

Transition Average: 11.96

Total Watts: 2568

Watts/sq.ft.: 1.08

Lumens/sq.ft. : 145.9

