

Canopy Style: 4x1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

(10) SCV-LED-20L-SC-50

Fixture Lumens: 20,234

Fixture Watts: 133

Lumens/Watt: 152

Mounting Height: 15'

Calculation Summary

Canopy Average: 42.58

Pump Average Inner: 23.89


Pump Average Outer: 25.83

Transition Average: 4.15

Total Watts: 1330

Watts/sq.ft.: 0.56

Lumens/sq.ft. : 85.2



Canopy Style: 4x1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

(10) SCV-LED-20L-SC-50

Fixture Lumens: 20,234

Fixture Watts: 133

Lumens/Watt: 152

Mounting Height: 15'

Calculation Summary

Canopy Average: 42.58

Pump Average Inner: 23.89


Pump Average Outer: 25.83

Transition Average: 4.15

Total Watts: 1330

Watts/sq.ft.: 0.56

Lumens/sq.ft. : 85.2



Canopy Style: 4x1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

(10) SCV-LED-20L-SC-50

Fixture Lumens: 20,234

Fixture Watts: 133

Lumens/Watt: 152

Mounting Height: 15'

Calculation Summary

Canopy Average: 42.58

Pump Average Inner: 23.89

Pump Average Outer: 25.83

Transition Average: 4.15

Total Watts: 1330

Watts/sq.ft.: 0.56

Lumens/sq.ft. : 85.2

