

# Canopy Style: 4x1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

## (16) SCV-LED-23L-SC-50

Fixture Lumens: 23,284

Fixture Watts: 155

Lumens/Watt: 150

Mounting Height: 15'

## Calculation Summary

Canopy Average: 80.85

Pump Average Inner: 48.76


Pump Average Outer: 30.11

Transition Average: 7.77

Total Watts: 2480

Watts/sq.ft.: 1.04

Lumens/sq.ft. : 156.8



# Canopy Style: 4x1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

## (16) SCV-LED-23L-SC-50

Fixture Lumens: 23,284

Fixture Watts: 155

Lumens/Watt: 150

Mounting Height: 15'

## Calculation Summary

Canopy Average: 80.85

Pump Average Inner: 48.76


Pump Average Outer: 30.11

Transition Average: 7.77

Total Watts: 2480

Watts/sq.ft.: 1.04

Lumens/sq.ft. : 156.8



# Canopy Style: 4x1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

## (16) SCV-LED-23L-SC-50

Fixture Lumens: 23,284

Fixture Watts: 155

Lumens/Watt: 150

Mounting Height: 15'

## Calculation Summary

Canopy Average: 80.85

Pump Average Inner: 48.76

Pump Average Outer: 30.11

Transition Average: 7.77

Total Watts: 2480

Watts/sq.ft.: 1.04

Lumens/sq.ft. : 156.8

