

# Canopy Style: 4x1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

## (10) SCV-LED-23L-SC-50

Fixture Lumens: 23,284

Fixture Watts: 155

Lumens/Watt: 150

Mounting Height: 15'

## Calculation Summary

Canopy Average: 49.02

Pump Average Inner: 27.49


Pump Average Outer: 29.73

Transition Average: 4.77

Total Watts: 1550

Watts/sq.ft.: 0.65

Lumens/sq.ft. : 98



# Canopy Style: 4x1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

## (10) SCV-LED-23L-SC-50

Fixture Lumens: 23,284

Fixture Watts: 155

Lumens/Watt: 150

Mounting Height: 15'

## Calculation Summary

Canopy Average: 49.02

Pump Average Inner: 27.49


Pump Average Outer: 29.73

Transition Average: 4.77

Total Watts: 1550

Watts/sq.ft.: 0.65

Lumens/sq.ft. : 98



# Canopy Style: 4x1 Inline

Canopy Size: 24' x 99'

Initial Levels at grade and vertically on pumps.

## (10) SCV-LED-23L-SC-50

Fixture Lumens: 23,284

Fixture Watts: 155

Lumens/Watt: 150

Mounting Height: 15'

## Calculation Summary

Canopy Average: 49.02

Pump Average Inner: 27.49

Pump Average Outer: 29.73

Transition Average: 4.77

Total Watts: 1550

Watts/sq.ft.: 0.65

Lumens/sq.ft. : 98

