

# Canopy Style: 4x1 Inline w/ Kiosk

Canopy Size: 24' x 120'

Initial Levels at grade and vertically on pumps.

## (17) SCV-LED-10L-SC-50

Fixture Lumens: 10,317

Fixture Watts: 67

Lumens/Watt: 154

Mounting Height: 15'

## Calculation Summary

Canopy Average: 32.05

Pump Average Inner: 21.08


Pump Average Outer: 13.45

Transition Average: N/A

Total Watts: 1139

Watts/sq.ft.: 0.40

Lumens/sq.ft. : 60.9



# Canopy Style: 4x1 Inline w/ Kiosk

Canopy Size: 24' x 120'

Initial Levels at grade and vertically on pumps.

## (17) SCV-LED-10L-SC-50

Fixture Lumens: 10,317

Fixture Watts: 67

Lumens/Watt: 154

Mounting Height: 15'

## Calculation Summary

Canopy Average: 32.05

Pump Average Inner: 21.08


Pump Average Outer: 13.45

Transition Average: N/A

Total Watts: 1139

Watts/sq.ft.: 0.40

Lumens/sq.ft. : 60.9



# Canopy Style: 4x1 Inline w/ Kiosk

Canopy Size: 24' x 120'

Initial Levels at grade and vertically on pumps.

## (17) SCV-LED-10L-SC-50

Fixture Lumens: 10,317

Fixture Watts: 67

Lumens/Watt: 154

Mounting Height: 15'

## Calculation Summary

Canopy Average: 32.05

Pump Average Inner: 21.08

Pump Average Outer: 13.45

Transition Average: N/A

Total Watts: 1139

Watts/sq.ft.: 0.40

Lumens/sq.ft. : 60.9

