

Canopy Style: 4x1 Inline w/ Kiosk

Canopy Size: 24' x 120'

Initial Levels at grade and vertically on pumps.

(12) SCV-LED-13L-SC-50

Fixture Lumens: 13,444

Fixture Watts: 90

Lumens/Watt: 149

Mounting Height: 15'

Calculation Summary

Canopy Average: 28.58

Pump Average Inner: 15.55


Pump Average Outer: 17.20

Transition Average: N/A

Total Watts: 1080

Watts/sq.ft.: 0.38

Lumens/sq.ft. : 56



Canopy Style: 4x1 Inline w/ Kiosk

Canopy Size: 24' x 120'

Initial Levels at grade and vertically on pumps.

(12) SCV-LED-13L-SC-50

Fixture Lumens: 13,444

Fixture Watts: 90

Lumens/Watt: 149

Mounting Height: 15'

Calculation Summary

Canopy Average: 28.58

Pump Average Inner: 15.55


Pump Average Outer: 17.20

Transition Average: N/A

Total Watts: 1080

Watts/sq.ft.: 0.38

Lumens/sq.ft. : 56



Canopy Style: 4x1 Inline w/ Kiosk

Canopy Size: 24' x 120'

Initial Levels at grade and vertically on pumps.

(12) SCV-LED-13L-SC-50

Fixture Lumens: 13,444

Fixture Watts: 90

Lumens/Watt: 149

Mounting Height: 15'

Calculation Summary

Canopy Average: 28.58

Pump Average Inner: 15.55

Pump Average Outer: 17.20

Transition Average: N/A

Total Watts: 1080

Watts/sq.ft.: 0.38

Lumens/sq.ft. : 56

