

# Canopy Style: 4x1 Inline w/ Kiosk

Canopy Size: 24' x 120'

Initial Levels at grade and vertically on pumps.

## (17) SCV-LED-15L-SC-50

Fixture Lumens: 14,963

Fixture Watts: 102

Lumens/Watt: 147

Mounting Height: 15'

## Calculation Summary

Canopy Average: 46.50

Pump Average Inner: 30.60


Pump Average Outer: 19.52

Transition Average: N/A

Total Watts: 1734

Watts/sq.ft.: 0.60

Lumens/sq.ft. : 88.3



# Canopy Style: 4x1 Inline w/ Kiosk

Canopy Size: 24' x 120'

Initial Levels at grade and vertically on pumps.

## (17) SCV-LED-15L-SC-50

Fixture Lumens: 14,963

Fixture Watts: 102

Lumens/Watt: 147

Mounting Height: 15'

## Calculation Summary

Canopy Average: 46.50

Pump Average Inner: 30.60


Pump Average Outer: 19.52

Transition Average: N/A

Total Watts: 1734

Watts/sq.ft.: 0.60

Lumens/sq.ft. : 88.3



# Canopy Style: 4x1 Inline w/ Kiosk

Canopy Size: 24' x 120'

Initial Levels at grade and vertically on pumps.

## (17) SCV-LED-15L-SC-50

Fixture Lumens: 14,963

Fixture Watts: 102

Lumens/Watt: 147

Mounting Height: 15'

## Calculation Summary

Canopy Average: 46.50

Pump Average Inner: 30.60

Pump Average Outer: 19.52

Transition Average: N/A

Total Watts: 1734

Watts/sq.ft.: 0.60

Lumens/sq.ft. : 88.3

