

Canopy Style: 4x1 Inline w/ Kiosk

Canopy Size: 24' x 120'

Initial Levels at grade and vertically on pumps.

(12) SCV-LED-15L-SC-50

Fixture Lumens: 14,963

Fixture Watts: 102

Lumens/Watt: 147

Mounting Height: 15'

Calculation Summary

Canopy Average: 31.84

Pump Average Inner: 17.29


Pump Average Outer: 19.15

Transition Average: N/A

Total Watts: 1224

Watts/sq.ft.: 0.43

Lumens/sq.ft. : 62.3



Canopy Style: 4x1 Inline w/ Kiosk

Canopy Size: 24' x 120'

Initial Levels at grade and vertically on pumps.

(12) SCV-LED-15L-SC-50

Fixture Lumens: 14,963

Fixture Watts: 102

Lumens/Watt: 147

Mounting Height: 15'

Calculation Summary

Canopy Average: 31.84

Pump Average Inner: 17.29


Pump Average Outer: 19.15

Transition Average: N/A

Total Watts: 1224

Watts/sq.ft.: 0.43

Lumens/sq.ft. : 62.3



Canopy Style: 4x1 Inline w/ Kiosk

Canopy Size: 24' x 120'

Initial Levels at grade and vertically on pumps.

(12) SCV-LED-15L-SC-50

Fixture Lumens: 14,963

Fixture Watts: 102

Lumens/Watt: 147

Mounting Height: 15'

Calculation Summary

Canopy Average: 31.84

Pump Average Inner: 17.29

Pump Average Outer: 19.15

Transition Average: N/A

Total Watts: 1224

Watts/sq.ft.: 0.43

Lumens/sq.ft. : 62.3

