

Canopy Style: 4x1 Inline w/ Kiosk

Canopy Size: 24' x 120'

Initial Levels at grade and vertically on pumps.

(17) SCV-LED-20L-SC-50

Fixture Lumens: 20,234

Fixture Watts: 133

Lumens/Watt: 152

Mounting Height: 15'

Calculation Summary

Canopy Average: 62.82

Pump Average Inner: 41.37


Pump Average Outer: 26.39

Transition Average: N/A

Total Watts: 2261

Watts/sq.ft.: 0.79

Lumens/sq.ft. : 119.4



Canopy Style: 4x1 Inline w/ Kiosk

Canopy Size: 24' x 120'

Initial Levels at grade and vertically on pumps.

(17) SCV-LED-20L-SC-50

Fixture Lumens: 20,234

Fixture Watts: 133

Lumens/Watt: 152

Mounting Height: 15'

Calculation Summary

Canopy Average: 62.82

Pump Average Inner: 41.37


Pump Average Outer: 26.39

Transition Average: N/A

Total Watts: 2261

Watts/sq.ft.: 0.79

Lumens/sq.ft. : 119.4



Canopy Style: 4x1 Inline w/ Kiosk

Canopy Size: 24' x 120'

Initial Levels at grade and vertically on pumps.

(17) SCV-LED-20L-SC-50

Fixture Lumens: 20,234

Fixture Watts: 133

Lumens/Watt: 152

Mounting Height: 15'

Calculation Summary

Canopy Average: 62.82

Pump Average Inner: 41.37

Pump Average Outer: 26.39

Transition Average: N/A

Total Watts: 2261

Watts/sq.ft.: 0.79

Lumens/sq.ft. : 119.4

