

# Canopy Style: 4x1 Inline w/ Kiosk

Canopy Size: 24' x 120'

Initial Levels at grade and vertically on pumps.

## (12) SCV-LED-20L-SC-50

Fixture Lumens: 20,234

Fixture Watts: 133

Lumens/Watt: 152

Mounting Height: 15'

## Calculation Summary

Canopy Average: 43.00

Pump Average Inner: 23.44


Pump Average Outer: 25.88

Transition Average: N/A

Total Watts: 1596

Watts/sq.ft.: 0.55

Lumens/sq.ft. : 84.3



# Canopy Style: 4x1 Inline w/ Kiosk

Canopy Size: 24' x 120'

Initial Levels at grade and vertically on pumps.

## (12) SCV-LED-20L-SC-50

Fixture Lumens: 20,234

Fixture Watts: 133

Lumens/Watt: 152

Mounting Height: 15'

## Calculation Summary

Canopy Average: 43.00

Pump Average Inner: 23.44


Pump Average Outer: 25.88

Transition Average: N/A

Total Watts: 1596

Watts/sq.ft.: 0.55

Lumens/sq.ft. : 84.3



# Canopy Style: 4x1 Inline w/ Kiosk

Canopy Size: 24' x 120'

Initial Levels at grade and vertically on pumps.

## (12) SCV-LED-20L-SC-50

Fixture Lumens: 20,234

Fixture Watts: 133

Lumens/Watt: 152

Mounting Height: 15'

## Calculation Summary

Canopy Average: 43.00

Pump Average Inner: 23.44

Pump Average Outer: 25.88

Transition Average: N/A

Total Watts: 1596

Watts/sq.ft.: 0.55

Lumens/sq.ft. : 84.3

