

Canopy Style: 4x1 Inline w/ Kiosk

Canopy Size: 24' x 120'

Initial Levels at grade and vertically on pumps.

(12) SCV-LED-23L-SC-50

Fixture Lumens: 23,284

Fixture Watts: 155

Lumens/Watt: 150

Mounting Height: 15'

Calculation Summary

Canopy Average: 49.51

Pump Average Inner: 26.96


Pump Average Outer: 29.80

Transition Average: N/A

Total Watts: 1860

Watts/sq.ft.: 0.65

Lumens/sq.ft. : 97



Canopy Style: 4x1 Inline w/ Kiosk

Canopy Size: 24' x 120'

Initial Levels at grade and vertically on pumps.

(12) SCV-LED-23L-SC-50

Fixture Lumens: 23,284

Fixture Watts: 155

Lumens/Watt: 150

Mounting Height: 15'

Calculation Summary

Canopy Average: 49.51

Pump Average Inner: 26.96


Pump Average Outer: 29.80

Transition Average: N/A

Total Watts: 1860

Watts/sq.ft.: 0.65

Lumens/sq.ft. : 97



Canopy Style: 4x1 Inline w/ Kiosk

Canopy Size: 24' x 120'

Initial Levels at grade and vertically on pumps.

(12) SCV-LED-23L-SC-50

Fixture Lumens: 23,284

Fixture Watts: 155

Lumens/Watt: 150

Mounting Height: 15'

Calculation Summary

Canopy Average: 49.51

Pump Average Inner: 26.96

Pump Average Outer: 29.80

Transition Average: N/A

Total Watts: 1860

Watts/sq.ft.: 0.65

Lumens/sq.ft. : 97

