

Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

(24) SCV-LED-10L-SC-50

Fixture Lumens: 10,317

Fixture Watts: 67

Lumens/Watt: 154

Mounting Height: 15'

Calculation Summary

Canopy Average: 36.32

Pump Average Inner: 21.43


Pump Average Outer: 13.42

Transition Average: 4.38

Total Watts: 1608

Watts/sq.ft.: 0.45

Lumens/sq.ft. : 68.8



Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

(24) SCV-LED-10L-SC-50

Fixture Lumens: 10,317

Fixture Watts: 67

Lumens/Watt: 154

Mounting Height: 15'

Calculation Summary

Canopy Average: 36.32

Pump Average Inner: 21.43


Pump Average Outer: 13.42

Transition Average: 4.38

Total Watts: 1608

Watts/sq.ft.: 0.45

Lumens/sq.ft. : 68.8



Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

(24) SCV-LED-10L-SC-50

Fixture Lumens: 10,317

Fixture Watts: 67

Lumens/Watt: 154

Mounting Height: 15'

Calculation Summary

Canopy Average: 36.32

Pump Average Inner: 21.43

Pump Average Outer: 13.42

Transition Average: 4.38

Total Watts: 1608

Watts/sq.ft.: 0.45

Lumens/sq.ft. : 68.8

