

Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

(14) SCV-LED-10L-SC-50

Fixture Lumens: 10,317

Fixture Watts: 67

Lumens/Watt: 154

Mounting Height: 15'

Calculation Summary

Canopy Average: 20.91

Pump Average Inner: 12.00


Pump Average Outer: 13.25

Transition Average: 2.38

Total Watts: 938

Watts/sq.ft.: 0.26

Lumens/sq.ft. : 40.1



Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

(14) SCV-LED-10L-SC-50

Fixture Lumens: 10,317

Fixture Watts: 67

Lumens/Watt: 154

Mounting Height: 15'

Calculation Summary

Canopy Average: 20.91

Pump Average Inner: 12.00


Pump Average Outer: 13.25

Transition Average: 2.38

Total Watts: 938

Watts/sq.ft.: 0.26

Lumens/sq.ft. : 40.1



Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

(14) SCV-LED-10L-SC-50

Fixture Lumens: 10,317

Fixture Watts: 67

Lumens/Watt: 154

Mounting Height: 15'

Calculation Summary

Canopy Average: 20.91

Pump Average Inner: 12.00

Pump Average Outer: 13.25

Transition Average: 2.38

Total Watts: 938

Watts/sq.ft.: 0.26

Lumens/sq.ft. : 40.1

