

Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

(24) SCV-LED-13L-SC-50

Fixture Lumens: 13,444

Fixture Watts: 90

Lumens/Watt: 149

Mounting Height: 15'

Calculation Summary

Canopy Average: 47.32

Pump Average Inner: 27.94


Pump Average Outer: 17.51

Transition Average: 5.70

Total Watts: 2160

Watts/sq.ft.: 0.60

Lumens/sq.ft. : 89.6



Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

(24) SCV-LED-13L-SC-50

Fixture Lumens: 13,444

Fixture Watts: 90

Lumens/Watt: 149

Mounting Height: 15'

Calculation Summary

Canopy Average: 47.32

Pump Average Inner: 27.94


Pump Average Outer: 17.51

Transition Average: 5.70

Total Watts: 2160

Watts/sq.ft.: 0.60

Lumens/sq.ft. : 89.6



Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

(24) SCV-LED-13L-SC-50

Fixture Lumens: 13,444

Fixture Watts: 90

Lumens/Watt: 149

Mounting Height: 15'

Calculation Summary

Canopy Average: 47.32

Pump Average Inner: 27.94

Pump Average Outer: 17.51

Transition Average: 5.70

Total Watts: 2160

Watts/sq.ft.: 0.60

Lumens/sq.ft. : 89.6

