

Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

(24) SCV-LED-15L-SC-50

Fixture Lumens: 14,963

Fixture Watts: 102

Lumens/Watt: 147

Mounting Height: 15'

Calculation Summary

Canopy Average: 52.70

Pump Average Inner: 31.08


Pump Average Outer: 19.49

Transition Average: 6.35

Total Watts: 2448

Watts/sq.ft.: 0.68

Lumens/sq.ft. : 99.8



Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

(24) SCV-LED-15L-SC-50

Fixture Lumens: 14,963

Fixture Watts: 102

Lumens/Watt: 147

Mounting Height: 15'

Calculation Summary

Canopy Average: 52.70

Pump Average Inner: 31.08


Pump Average Outer: 19.49

Transition Average: 6.35

Total Watts: 2448

Watts/sq.ft.: 0.68

Lumens/sq.ft. : 99.8



Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

(24) SCV-LED-15L-SC-50

Fixture Lumens: 14,963

Fixture Watts: 102

Lumens/Watt: 147

Mounting Height: 15'

Calculation Summary

Canopy Average: 52.70

Pump Average Inner: 31.08

Pump Average Outer: 19.49

Transition Average: 6.35

Total Watts: 2448

Watts/sq.ft.: 0.68

Lumens/sq.ft. : 99.8

