

Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

(14) SCV-LED-15L-SC-50

Fixture Lumens: 14,963

Fixture Watts: 102

Lumens/Watt: 147

Mounting Height: 15'

Calculation Summary

Canopy Average: 30.33

Pump Average Inner: 17.40


Pump Average Outer: 19.22

Transition Average: 3.44

Total Watts: 1428

Watts/sq.ft.: 0.40

Lumens/sq.ft. : 58.2



Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

(14) SCV-LED-15L-SC-50

Fixture Lumens: 14,963

Fixture Watts: 102

Lumens/Watt: 147

Mounting Height: 15'

Calculation Summary

Canopy Average: 30.33

Pump Average Inner: 17.40


Pump Average Outer: 19.22

Transition Average: 3.44

Total Watts: 1428

Watts/sq.ft.: 0.40

Lumens/sq.ft. : 58.2



Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

(14) SCV-LED-15L-SC-50

Fixture Lumens: 14,963

Fixture Watts: 102

Lumens/Watt: 147

Mounting Height: 15'

Calculation Summary

Canopy Average: 30.33

Pump Average Inner: 17.40

Pump Average Outer: 19.22

Transition Average: 3.44

Total Watts: 1428

Watts/sq.ft.: 0.40

Lumens/sq.ft. : 58.2

