

# Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

## (24) SCV-LED-20L-SC-50

Fixture Lumens: 20,234

Fixture Watts: 133

Lumens/Watt: 152

Mounting Height: 15'

## Calculation Summary

Canopy Average: 71.20

Pump Average Inner: 42.04


Pump Average Outer: 26.35

Transition Average: 8.57

Total Watts: 3192

Watts/sq.ft.: 0.89

Lumens/sq.ft. : 134.9



# Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

## (24) SCV-LED-20L-SC-50

Fixture Lumens: 20,234

Fixture Watts: 133

Lumens/Watt: 152

Mounting Height: 15'

## Calculation Summary

Canopy Average: 71.20

Pump Average Inner: 42.04


Pump Average Outer: 26.35

Transition Average: 8.57

Total Watts: 3192

Watts/sq.ft.: 0.89

Lumens/sq.ft. : 134.9



# Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

## (24) SCV-LED-20L-SC-50

Fixture Lumens: 20,234

Fixture Watts: 133

Lumens/Watt: 152

Mounting Height: 15'

## Calculation Summary

Canopy Average: 71.20

Pump Average Inner: 42.04

Pump Average Outer: 26.35

Transition Average: 8.57

Total Watts: 3192

Watts/sq.ft.: 0.89

Lumens/sq.ft. : 134.9

