

Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

(12) SCV-LED-20L-SC-50

Fixture Lumens: 20,234

Fixture Watts: 133

Lumens/Watt: 152

Mounting Height: 15'

(12) SCV-LED-23L-SCFT-50

Fixture Lumens: 23,101

Fixture Watts: 188

Lumens/Watt: 123

Mounting Height: 15'

Calculation Summary

Canopy Average: 67.17

Pump Average Inner: 39.39


Pump Average Outer: 24.67

Transition Average: 15.22

Total Watts: 3852

Watts/sq.ft.: 1.07

Lumens/sq.ft. : 144.5



Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

(12) SCV-LED-20L-SC-50

Fixture Lumens: 20,234

Fixture Watts: 133

Lumens/Watt: 152

Mounting Height: 15'

(12) SCV-LED-23L-SCFT-50

Fixture Lumens: 23,101

Fixture Watts: 188

Lumens/Watt: 123

Mounting Height: 15'

Calculation Summary

Canopy Average: 67.17

Pump Average Inner: 39.39


Pump Average Outer: 24.67

Transition Average: 15.22

Total Watts: 3852

Watts/sq.ft.: 1.07

Lumens/sq.ft. : 144.5



Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

(12) SCV-LED-20L-SC-50

Fixture Lumens: 20,234

Fixture Watts: 133

Lumens/Watt: 152

Mounting Height: 15'

(12) SCV-LED-23L-SCFT-50

Fixture Lumens: 23,101

Fixture Watts: 188

Lumens/Watt: 123

Mounting Height: 15'

Calculation Summary

Canopy Average: 67.17

Pump Average Inner: 39.39

Pump Average Outer: 24.67

Transition Average: 15.22

Total Watts: 3852

Watts/sq.ft.: 1.07

Lumens/sq.ft. : 144.5

