

Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

(14) SCV-LED-20L-SC-50

Fixture Lumens: 20,234

Fixture Watts: 133

Lumens/Watt: 152

Mounting Height: 15'

Calculation Summary

Canopy Average: 40.97

Pump Average Inner: 23.60


Pump Average Outer: 25.99

Transition Average: 4.66

Total Watts: 1862

Watts/sq.ft.: 0.52

Lumens/sq.ft. : 78.7



Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

(14) SCV-LED-20L-SC-50

Fixture Lumens: 20,234

Fixture Watts: 133

Lumens/Watt: 152

Mounting Height: 15'

Calculation Summary

Canopy Average: 40.97

Pump Average Inner: 23.60


Pump Average Outer: 25.99

Transition Average: 4.66

Total Watts: 1862

Watts/sq.ft.: 0.52

Lumens/sq.ft. : 78.7



Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

(14) SCV-LED-20L-SC-50

Fixture Lumens: 20,234

Fixture Watts: 133

Lumens/Watt: 152

Mounting Height: 15'

Calculation Summary

Canopy Average: 40.97

Pump Average Inner: 23.60

Pump Average Outer: 25.99

Transition Average: 4.66

Total Watts: 1862

Watts/sq.ft.: 0.52

Lumens/sq.ft. : 78.7

