

Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

(24) SCV-LED-23L-SC-50

Fixture Lumens: 23,284

Fixture Watts: 155

Lumens/Watt: 150

Mounting Height: 15'

Calculation Summary

Canopy Average: 81.97

Pump Average Inner: 48.38


Pump Average Outer: 30.33

Transition Average: 9.86

Total Watts: 3720

Watts/sq.ft.: 1.03

Lumens/sq.ft. : 155.2



Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

(24) SCV-LED-23L-SC-50

Fixture Lumens: 23,284

Fixture Watts: 155

Lumens/Watt: 150

Mounting Height: 15'

Calculation Summary

Canopy Average: 81.97

Pump Average Inner: 48.38


Pump Average Outer: 30.33

Transition Average: 9.86

Total Watts: 3720

Watts/sq.ft.: 1.03

Lumens/sq.ft. : 155.2



Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

(24) SCV-LED-23L-SC-50

Fixture Lumens: 23,284

Fixture Watts: 155

Lumens/Watt: 150

Mounting Height: 15'

Calculation Summary

Canopy Average: 81.97

Pump Average Inner: 48.38

Pump Average Outer: 30.33

Transition Average: 9.86

Total Watts: 3720

Watts/sq.ft.: 1.03

Lumens/sq.ft. : 155.2

