

# Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

## (14) SCV-LED-23L-SC-50

Fixture Lumens: 23,284

Fixture Watts: 155

Lumens/Watt: 150

Mounting Height: 15'

## Calculation Summary

Canopy Average: 47.17

Pump Average Inner: 27.15


Pump Average Outer: 29.92

Transition Average: 5.36

Total Watts: 2170

Watts/sq.ft.: 0.60

Lumens/sq.ft. : 91



# Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

## (14) SCV-LED-23L-SC-50

Fixture Lumens: 23,284

Fixture Watts: 155

Lumens/Watt: 150

Mounting Height: 15'

## Calculation Summary

Canopy Average: 47.17

Pump Average Inner: 27.15


Pump Average Outer: 29.92

Transition Average: 5.36

Total Watts: 2170

Watts/sq.ft.: 0.60

Lumens/sq.ft. : 91





# Canopy Style: 6 x 1 Inline

Canopy Size: 24' x 150'

Initial Levels at grade and vertically on pumps.

## (14) SCV-LED-23L-SC-50

Fixture Lumens: 23,284

Fixture Watts: 155

Lumens/Watt: 150

Mounting Height: 15'

## Calculation Summary

Canopy Average: 47.17

Pump Average Inner: 27.15

Pump Average Outer: 29.92

Transition Average: 5.36

Total Watts: 2170

Watts/sq.ft.: 0.60

Lumens/sq.ft. : 91

