

Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

(25) SCV-LED-10L-SC-50

Fixture Lumens: 10,317

Fixture Watts: 67

Lumens/Watt: 154

Mounting Height: 15'

Calculation Summary

Canopy Average: 34.28

Pump Average Inner: 21.36


Pump Average Outer: 13.26

Transition Average: N/A

Total Watts: 1675

Watts/sq.ft.: 0.41

Lumens/sq.ft. : 63.2



Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

(25) SCV-LED-10L-SC-50

Fixture Lumens: 10,317

Fixture Watts: 67

Lumens/Watt: 154

Mounting Height: 15'

Calculation Summary

Canopy Average: 34.28

Pump Average Inner: 21.36


Pump Average Outer: 13.26

Transition Average: N/A

Total Watts: 1675

Watts/sq.ft.: 0.41

Lumens/sq.ft. : 63.2



Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

(25) SCV-LED-10L-SC-50

Fixture Lumens: 10,317

Fixture Watts: 67

Lumens/Watt: 154

Mounting Height: 15'

Calculation Summary

Canopy Average: 34.28

Pump Average Inner: 21.36

Pump Average Outer: 13.26

Transition Average: N/A

Total Watts: 1675

Watts/sq.ft.: 0.41

Lumens/sq.ft. : 63.2

