

Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

(16) SCV-LED-10L-SC-50

Fixture Lumens: 10,317

Fixture Watts: 67

Lumens/Watt: 154

Mounting Height: 15'

Calculation Summary

Canopy Average: 21.49

Pump Average Inner: 12.02


Pump Average Outer: 13.06

Transition Average: N/A

Total Watts: 1072

Watts/sq.ft.: 0.26

Lumens/sq.ft. : 40.5



Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

(16) SCV-LED-10L-SC-50

Fixture Lumens: 10,317

Fixture Watts: 67

Lumens/Watt: 154

Mounting Height: 15'

Calculation Summary

Canopy Average: 21.49

Pump Average Inner: 12.02


Pump Average Outer: 13.06

Transition Average: N/A

Total Watts: 1072

Watts/sq.ft.: 0.26

Lumens/sq.ft. : 40.5



Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

(16) SCV-LED-10L-SC-50

Fixture Lumens: 10,317

Fixture Watts: 67

Lumens/Watt: 154

Mounting Height: 15'

Calculation Summary

Canopy Average: 21.49

Pump Average Inner: 12.02

Pump Average Outer: 13.06

Transition Average: N/A

Total Watts: 1072

Watts/sq.ft.: 0.26

Lumens/sq.ft. : 40.5

