

Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

(25) SCV-LED-13L-SC-50

Fixture Lumens: 13,444

Fixture Watts: 90

Lumens/Watt: 149

Mounting Height: 15'

Calculation Summary

Canopy Average: 44.66

Pump Average Inner: 27.85


Pump Average Outer: 17.30

Transition Average: N/A

Total Watts: 2250

Watts/sq.ft.: 0.55

Lumens/sq.ft. : 82.4



Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

(25) SCV-LED-13L-SC-50

Fixture Lumens: 13,444

Fixture Watts: 90

Lumens/Watt: 149

Mounting Height: 15'

Calculation Summary

Canopy Average: 44.66

Pump Average Inner: 27.85


Pump Average Outer: 17.30

Transition Average: N/A

Total Watts: 2250

Watts/sq.ft.: 0.55

Lumens/sq.ft. : 82.4



Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

(25) SCV-LED-13L-SC-50

Fixture Lumens: 13,444

Fixture Watts: 90

Lumens/Watt: 149

Mounting Height: 15'

Calculation Summary

Canopy Average: 44.66

Pump Average Inner: 27.85

Pump Average Outer: 17.30

Transition Average: N/A

Total Watts: 2250

Watts/sq.ft.: 0.55

Lumens/sq.ft. : 82.4

