

Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

(25) SCV-LED-15L-SC-50

Fixture Lumens: 14,963

Fixture Watts: 102

Lumens/Watt: 147

Mounting Height: 15'

Calculation Summary

Canopy Average: 49.74

Pump Average Inner: 30.99


Pump Average Outer: 19.25

Transition Average: N/A

Total Watts: 2550

Watts/sq.ft.: 0.63

Lumens/sq.ft. : 92



Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

(25) SCV-LED-15L-SC-50

Fixture Lumens: 14,963

Fixture Watts: 102

Lumens/Watt: 147

Mounting Height: 15'

Calculation Summary

Canopy Average: 49.74

Pump Average Inner: 30.99


Pump Average Outer: 19.25

Transition Average: N/A

Total Watts: 2550

Watts/sq.ft.: 0.63

Lumens/sq.ft. : 92



Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

(25) SCV-LED-15L-SC-50

Fixture Lumens: 14,963

Fixture Watts: 102

Lumens/Watt: 147

Mounting Height: 15'

Calculation Summary

Canopy Average: 49.74

Pump Average Inner: 30.99

Pump Average Outer: 19.25

Transition Average: N/A

Total Watts: 2550

Watts/sq.ft.: 0.63

Lumens/sq.ft. : 92

